

## Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors	PO ID PO35032	Receipt Dates from 2/9/2017 to 2/9/2017
-------------	---------------	---

<b>Total Received Quantity:</b>	16.00000
<b>Total Qty to Inspect (PO U/M):</b>	0.00000
<b>Total Reject Quantity:</b>	0.00000
<b>Total Receipt Value:</b>	\$0.00
<b>Total Balance Due Quantity:</b>	0.00000



**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 1 of 2


Shipment No:3192234

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 07-FEB-17	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOULIN	<b>BOL No</b> 3192234-2

<b>Shipment Details</b>	<b>Final Destination Branch - TOR</b>
-------------------------	---------------------------------------

<b>Order No</b> 4633516	<b>Line No</b> 1	<b>Item No</b> 752190.MO	<b>Description</b> 4.0000.PL.7075.T651-ALUMINUM.USI.48.5000.144.5000 CUT LENGTH TO 48.5 IN ( GRAIN TO RUN ALONG 3") X 3 IN ( + .0620/- .0000 IN (GRAIN TO RUN ALONG 3") ) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12
<b>Purchase Order No</b> 35032	<b>Part Number</b>	<b>Ordered Qty</b> 3.00 PCS	<b>Invoice Qty</b> 3.00 PCS
<b>Details</b> ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS			

SP4-02-10

<b>Delivery No.</b> 120828355	<b>Mill</b>	<b>Heat Number</b>  788371A31	<b>Mech Id</b>	<b>PCS</b> 3	<b>Width (IN)</b>	<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 180.9311
----------------------------------	-------------	--	----------------	-----------------	-------------------	--------------------	-------------------------------------

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 07-FEB-2017 03:28:10 PM



**Castle Metals®**

A. M. Castle & Co.

**PACKING SLIP/  
CERTIFICATE OF CONFORMANCE**

Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description, for credit. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

SHIPPED FEB 07 2017

*M. Rander*



*2817-82-10*

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 07-FEB-2017 03:28:10 PM

## SHIP TO:

A M CASTLE & CO  
14001 ORANGE AVE  
P.O. BOX 1402  
PARAMOUNT, CA 90723

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

## CERTIFIED TEST REPORT

Serial Number

4416627

CUSTOMER PO NUMBER:		WORK PACKAGE:		CUSTOMER PART NUMBER:		SHIP RUN/LOAD:		GOVT CONTRACT NUMBER:	
371277				752132		103547/17			
KAISER ORDER NO:	LINE ITEM:	SHIP DATE:	ALLOY:	CLAD:	TEMPER:	PRODUCT DESCRIPTION:			
1209457	1	28-APR-2016	7075	BARE	T7351	KaiserSelect Plate			
WEIGHT SHIPPED:	QUANTITY:		TRUCK B/L #:		GAUGE:		DIAMETER/WIDTH:		LENGTH:
5706 LB	2 PCS EST.		2059983		4.0000 IN (101.6000 MM)		48.500 IN (1231.9 MM)		144.500 IN (3670.3 MM)

MHU 1991888: LOT 169347B2: 1 pieces;

MHU 1993572: LOT 172427B7: 1 pieces;

DAS  
14  
9-89

17/02/10

## Certified Specifications

AMS 4078/RevJ  
ASTM B 209/Rev14  
BSS 7055/RevB  
DPS 4.713/RevAK  
MMS 159/RevT

AMS-QQ-A-250/12/RevA  
ASTM B 594/Rev13  
CMMP 025/RevU  
GAMPS 9101/RevB/AmdSCN1  
PS 21211/RevP

AMS-STD-2154/RevA  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

Test Code: 4297

## Test Results

Lot: 169347B2 Cast 179

Drop 45

Ingot 3

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 3 (Min:Max)	61.8 : 63.7 (426 : 439)	49.2 : 50.9 (339 : 351)	10.1 : 10.9

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	41.3 Min	42.4 Max
(MS/M) :	24.0 Min	24.6 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.18	1.5	0.03	2.5	0.20	5.9	0.03	0.01	0.01	TOT 0.05



# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4416627

Lot: 172427B7 Cast 189 Drop 13 Ingot 2 Melted in USA

(ASTM E8/B557)  
(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	62.7 : 62.9 (432 : 434)	49.6 : 49.9 (342 : 344)	10.5 : 10.9

(ASTM E1004)  
(EN 2004-1)

Conductivity %IACS :	41.3 Min	41.7 Max
(MS/M) :	24.0 Min	24.2 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.07	0.17	1.5	0.03	2.5	0.20	5.7	0.03	0.01	0.01	TOT 0.05

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

### ORDER COMMENTS

AMC CA-15413E R 6

### TEST NOTES


Metal represented by this test report was 100% Type I (immersion) ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order:

- \* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements.
- \* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- \* has been thermally processed in compliance with AMS 2772, where applicable.
- \* is mercury free, within the limits of detection of ASTM E1251 (< 1ppm).
- \* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- \* is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) n°1907/2006.
- \* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

**Castle Metals®**

A. M. Castle &amp; Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE


Page 1 of 2

Shipment No:3192234

<b>Ship From:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
<b>Date Shipped</b> 07-FEB-17	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid	<b>Carrier</b> MANITOU LIN	<b>BOL No</b> 3192234-2

**Shipment Details**

Final Destination Branch - TOR

<b>Order No</b> 4633516	<b>Line No</b> 3	<b>Item No</b> 752132.MO	<b>Description</b> 4.0000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT LENGTH TO 48.5 IN ( GRAIN TO RUN ALONG 3") X 3 IN ( + .0620/- .0000 IN (GRAIN TO RUN ALONG 3") - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12
<b>Purchase Order No</b> 35032	<b>Part Number</b>	<b>Ordered Qty</b> 1.00 PCS	<b>Invoice Qty</b> 1.00 PCS
<b>Details</b> ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS			
<b>Delivery No.</b> 120828355	<b>Mill</b> KAISER ALUMINUM	<b>Heat Number</b>  169347B2	<b>Mech Id</b> 1
		<b>Width (IN)</b>	<b>Length (IN)</b>
			<b>Shipped Qty(LBS)</b> 60.3104

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 07-FEB-2017 03:28:10 PM



**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

SHIPPED FEB 07 2017



*M. Randin*

*QTH-8-12*

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 07-FEB-2017 03:28:10 PM

## SHIP TO:

A M CASTLE & CO  
14001 ORANGE AVE  
P.O. BOX 1402  
PARAMOUNT, CA 90723

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4432125

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

CUSTOMER PO NUMBER: 387320-1	WORK PACKAGE:	CUSTOMER PART NUMBER: 752190	SHIP RUN/LOAD: 103677/17	GOVT CONTRACT NUMBER:
KAISER ORDER NO: 1216432-1	SHIP DATE: 7-SEP-2016	ALLOY: 7075	CLAD: BARE	TEMPER: T651
WEIGHT SHIPPED: 5678 LB	QUANTITY: 2 PCS EST.	TRUCK B/L #: 2062305	GAUGE: 4.0000 IN (101.6000 MM)	PRODUCT DESCRIPTION: KaiserSelect Plate
			DIAMETER/WIDTH: 48.500 IN (1231.9 MM)	LENGTH: 144.500 IN (3670.3 MM)

MHU 2014133: LOT 788371A3: 1 pieces;  
MHU 2014135: LOT 788371A3: 1 pieces;

DAS  
14  
9-89

17/02/10

### Certified Specifications

AMS 4045/RevL  
ASTM B 209/Rev14  
BSS 7055/RevB  
DPS 4.713/RevAK  
PS 21211/RevP

AMS-QQ-A-250/12/RevA  
ASTM B 594/Rev13  
CMMP 025/RevV  
GAMPS 9101/RevB/AmdSCN1

AMS-STD-2154/RevA  
BAC 5439/RevJ  
CSTI 006/RevE  
GSS16100/RevG/Amd1

## Test Code: 1512

Lot: 788371A3 Cast 225

Drop 14

## Test Results

Ingot 5

Parent Lot: 186802B5

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 2 (Min:Max)	74.0 : 77.6 (510 : 535)	61.7 : 67.3 (425 : 464)	9.9 : 11.5

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.06	0.15	1.4	0.02	2.6	0.20	5.8	0.03	0.01	0.01	TOT 0.05

### ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

## ORDER COMMENTS

AMC CA-15403E R 6





# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4432125

### TEST NOTES

Metal represented by this test report was 100% Type I  
(immersion) ultrasonically tested from one side with 3mm  
dead zones top and bottom and meets the Class A and Class B  
requirements of all specifications referenced on this test  
report. No surface marking of sonic indications is  
performed.

### CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- \* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- \* All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- \* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- \* has been thermally processed in compliance with AMS 2772, where applicable.
- \* is mercury free, within the limits of detection of ASTM E1215 (< 1ppm).
- \* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- \* is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- \* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- \* is free of weld repair.
- \* meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075 TLB3.000X4.000 PO / BATCH NO.: 35032/136800  
 DATE: 17/02/10

MATERIAL CERT REC'D: YES  
 QUANTITY RECEIVED: 12  
 QUANTITY INSPECTED: 12  
 QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: 4.000  
 THICKNESS RECEIVED: 3.970  
 SHEET SIZE ORDERED: \_\_\_\_\_  
 SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORROSION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	7075 TL
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	3.970
PHOTO REQUIRED	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	AMS-QQ-A-250/2
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	HEAT# 788371A3
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	M7075 TLB3.000X4.000
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	M136800
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/> Y	<input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS</u>	SIGNED OFF BY: _____		
DATE: <u>17/02/10</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M7075T73B3.000x4.000 PO / BATCH NO: 35032/1136800  
 DATE: 17/02/10

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 4'  
 QUANTITY INSPECTED: 4'  
 QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: 4.000  
 THICKNESS RECEIVED: 3.970  
 SHEET SIZE ORDERED: \_\_\_\_\_  
 SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y N	<u>7075T73</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y N	<u>3.970</u>
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y N	<u>AMS-BQ-A-250/12</u>
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y N	<u>HEAT# 169347B2</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y N	<u>M7075T73B3.000x4.000</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y N	<u>M136800</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

*testers located in the Quality Office*

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>DAS 14 9:30</u> DATE: <u>17/02/10</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO35032**

Purchase Order Date 1/19/2017

PO Print Date 1/19/2017

Page Number 1 of 3

Order From :  
METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

E-MAILED

JAN 19 2017

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Chantal Lavoie

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
----------	--	------------------------	--------------------------------------	----	--------------------------------	---------------	----------------

1	M304B0.500X2.500	304 BAR .500 x 2.50	2/2/2017 Yes 2/2/2017		12.00 f	\$17.75	\$213.00
---	------------------	---------------------	-----------------------------	--	------------	---------	----------

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS  
AS PER ASTM A276 OR ASTM A240

NOTE: AISI 303 NOT ACCEPTABLE

JAN 30 2017  
SUBAS 6 9-30

Line Total: \$213.00

2	M7075T6B3.000x04.000	7075-T6 BAR 3.000' X 4.000" grain along 3"	2/8/2017 Yes 2/8/2017		12.00 f	\$82.75	\$993.00
---	----------------------	--	-----------------------------	--	------------	---------	----------

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

NOTE: CUT IN SECTION OF 4 FT

B/S

Line Total: \$993.00

Note:

1/19/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO35032**

Purchase Order Date 1/19/2017

PO Print Date 1/19/2017

Page Number 2 of 3

**Order From :**

VU-MET002

METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

3	M7075T6B6.000X0.250	7075-T6 BAR 6.000" X 0.250"	2/8/2017	12.00	\$14.50	\$174.00
---	---------------------	-----------------------------	----------	-------	---------	----------

Yes

f

2/8/2017

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR  
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$174.00

4	M7075T73B3.000X4.000	7075-T73 Bar 3.0 x 4.0 grain direction along 3"	2/8/2017	4.00	\$101.00	\$404.00
---	----------------------	---	----------	------	----------	----------

Yes

f

2/8/2017

MATERIAL: 7075-T73/T7351/T73510/T73511 BAR AS PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 OR AMS 4124 OR AMS-QQ-A-250/12 OR AMS 4078

NOTE: GRAIN DIRECTION MUST RUN ALONG 3" WIDE

Line Total: \$404.00

Note:

1/19/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO15032**

Purchase Order Date 1/19/2017

PO Print Date 1/19/2017

Page Number 3 of 3

Order From :  
METAUX CASTLE  
P.O. BOX 4090 STN A  
TORONTO, ONTARIO M5W OE9  
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Chantal Lavoie

5	71401-45	PROCUREMENT QUALITY CLAUSES	✓	2/8/2017	1.00	✓	\$0.00	\$0.00
---	----------	--------------------------------	---	----------	------	---	--------	--------

No

2/8/2017

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

2017 02-10

Line Total:

\$0.00

PO Total:

\$1,784.00

V

CL

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 2

Change Date: 1/19/2017